
Cone shower combination 02
wall shower combination, stainless steel, with
wall shower, thermostat, diverter and hand shower

Cone douche combinatie 02
wanddouche combinatie, rvs, met wanddouche,
thermostaat, omsteller en wand handdouche

900-6420 / 900-6426

installation




900-690X



900-260X





900-250X





900-691X

technical diagram









020-xxx-25xx


JEE-O


wall mounted shower stainless steel

wand douchekop rvs


900-6900 / 900-6906

installation






technical diagram



explosion diagram




wall mounted hand shower set stainless steel
with integrated wall elbow


wand handdouche rvs met geïntegreerde houder

900-6910 / 900-6916


installation



technical diagram



explosion diagram




YTxxx-22xx


wall mounted bath/shower diverter stainless steel with concealed body

wand bad of douche omsteller rvs met inbouwdeel


900-2600 / 900-2606

installation






technical diagram



explosion diagram





wall mounted thermostatic mixer stainless steel with concealed body

wand inbouwthermostaat rvs


900-2500 / 900-2506

installation






technical diagram



explosion diagram



NOTE! *The rosette diameter is Ø110mm.*
Cut tiles within this diameter.


rosette diameter 110mm

tile cutting suggestion option 1 (concealed body)

tile cutting suggestion option 2

900-250X CONE THERMOSTAT

Wall mounted thermostatic mixer. Stainless steel with concealed body. All colour finishes.



Disclaimer:
Always follow applicable guidelines and regulations for installation. These notifications and suggestions do not replace any installation manual. Installation should be carried out by certified plumber.